

# Archived resources

For further resources and documentation please visit us:

www.cinos.net





## Super Narrow Bezel Display

Bezel Width: 3.2mm (left/top), 1.7mm (right/bottom)



47" class (46.96" measured diagonally)





#### NO BLACKENING DEFECT

Display has a built-in temperature control that adjusts to light and heat eliminating dark or blackened areas.



#### TRUE WIDE VIEWING

Color changes and distortion are eliminated from any viewing angle.



#### PANEL STABILITY

Minimized image distortion when external pressure is applied.




#### SLIMMER BEZEL

4.9mm, the slimmest bezels create powerful and impactful video walls.



#### **AUTO CALIBRATION**

WV Series provide Automatic Calibration solution which enables to save time and labor on installation by adjusting the white balance on videowall easily.



#### **AUTO HIGHER RESOLUTION**

WV50 supports Full HD. You can enjoy super fine image from each and every displays composing videowall.





### **Direct LED**

## Super Narrow Bezel Display


Bezel Width: 3.2mm (left/top), 1.7mm (right/bottom)




47" class (46.96" measured diagonally)




47WV50BR-B





#### Rear Jack Pack Panel



PANEL	Model	47WV50BR-B
	Panel Size	47" class (46.96" measured diagonally)
	Panel Technology	IPS
	Aspect Ratio	16:9
	Native Resolution	1920 x 1080 (FHD)
	Pixels (H x V x 3)	6,220,800
	Brightness	500 cd/m²
	Contrast Ratio (Typ.)	1,400:1
	Dynamic CR (DCR)	500,000 : 1
	Color Gamut	68%
	Viewing Angle	178°/178°
	Color Depth	1.06 Billion (10-bit)
	Response Time	12ms (Typical)
	Surface Treatment	Hard coating(3H), Anti-reflection treatment of the front polarizer (Reflectance (2%)
	Orientation	Portrait and Landscape
VIDEO	Max Input Resolution	1920 X 1080@ 60Hz(RGB, HDMI, DVI-D, Display Port)
	Rec. Resolution	1920 X 1080@ 60Hz(RGB, HDMI, DVI-D, Display Port)
	H-Scanning Freq.	30 ~ 83kHz(RGB, HDMI, DVI-D, Display Port)
	V-Scanning Freq.	56~75Hz(RGB) / 56~60 Hz(HDMI, DVI-D, Display Port)
	Pixel Frequency	148.5MHz(RGB, HDMI, DVI-D, Display Port)
	Sync Compatability	Separate, Composite, Digital
	Video Input	RGB, HDMI, DVI-D, AV, Component, Display Port
	Picture mode	Vivid, Standard, Cinema, Sports, Game
	Color temperature	Warm/Medium/Cool
INPUT	Digital	DVI-D(1), HDMI(1) with HDCP for all input, Display Port(1)
(Rear)	Analog	RGB(1), Component(RGB Shared), AV(BNC, 1)
	Audio	PC Audio In(1), AV/Component Audio In(RCA, 1)
	External Control	RS232C(1), RJ45(1), IR Receiver(1)
	USB	USB(1)
OUTPUT (Rear)	Digital	DVI-D(1)
	Analog	RGB(1)
	Audio	External speaker(1)
	External Control	RS232C(1)
AUDIO	Balance	Yes
	Audio Power	20W (10W x 2)
	Speaker On/off	Yes
	Clear Voice II	Yes
	Sound Mode	Standard, Music, Cinema, Sports, Game

FEATURES	ATURES	Temperature Sensor	Yes
		Tile Mode	Yes
		Tile Mode @ Natural Mode	Yes, Up to 15x15
		Source Selection	Digital(HDMI/DVI) / DVI / Analog(RGB) / Component/USB
		Brightness/Contrast /Backlight	Yes
		Position/Size	Yes
		Auto Config/Phrase	Yes
		Language (OSD/USB Playback)	Korean, Chinese(Traditional), Chinese(Simplified), Japanese, German, English, French, Portuguese(Brazil), Portuguese(Europe), Spanish, Italian, Russian, Swedish(Sweden), Finnish(Finland), Norwegian(Norway), Danish(Denmark), Dutch(Netherlands), Cheskey(Czech), Greek
		Language (CD Manual)	Korean, Chinese(Traditional), Chinese(Simplified), Japanese, German, English, French, Portuguese(Brazil), Portuguese(Europe), Spanish, Italian, Russian, Swedish(Sweden), Finnish(Finland), Norwegian(Norway), Danish(Denmark), Dutch(Netherlands), Cheskey(Czech), Greek
		ISM Method	Normal, Orbiter, Inversion, White Wash
		Advanced	Clear White, Dynamic Contrast, Dynamic Color, Noise Reduction, Gamma, Black Level, Skin color, Digital Noise Reduction
		Time	Clock, On/off Time, Sleep Timer, Power on Delay
		Information Display	Model/Type, Serial Number, S/W Version, IP Address, Homepage
		Input Label	Yes
		Auto Power/Source Memory	Yes
		DPM Select	Yes (Installation Menu)
		Energy Saving	Yes, Off /Minumum/Medium/Maximum/Screen Off
		Smart Energy Saving	Yes
		File Play with USB	Yes
ENV	IRONMENT	Operation Tempature	0°C ~ 40°C
	DITIONS	Operation Humidity	10% ~ 90%
CAI	BINET	Color	Black
		Bezel Width	3.2mm (left/top), 1.7mm (right/bottom)
		Monitor Dimension	41.1" x 23.2" x 3.5"
		Monitor Weight	40.8 lbs.
		Carton Dimensions	46.5" x 30.3" x 6.5"
		Packed Weight	51.8 lbs.
		Handle	Yes
		VESA™ Standard Mount Interface	600mm x 400mm
PO	WER	Power Supply	100 -240V~, 50/60Hz
		Power Type	Built-in Power
		Power Consumption	
		Typical	150W
		Smart Energy Saving	80W
		DPM	0.7W
		Power Off	0.5W
	NDARD	Safety	UL/cUL/CB/TUV/KC
CERI	TIFICATIONS	EMC	FCC Class "B" / CE / KCC
		Erp/Energy Star 6.0	Yes / Yes
	DIA PLAYER IPATIBLITY	External Media player Attatchable	
SOI	FTWARE IPATIBLITY	Supersign Compatibility: Elites	
WA	ARRANTY		3-Year Limited Warranty (Parts/Labor/Backlight)
UP	С		7 19192 19268 3
ACC	ESSORIES	Remote Controlle	rr, Power cable, DYI Cable, Manual, IR Receiver, RS-232C Cable, Guide Bracket, Screw





LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com



All screen images are simulated. Dimensions and weights are approximate. Design, specifications, and features subject to change without notice.

@ Copyright 2014 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp.

ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. In Plane Switching is a trademark of LG Philips LCD Ltd. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

All other product and brand names are trademarks or registered trademarks of their respective

For further resources and documentation please visit us:

www.cinos.net